

PHOTOCELL/TIME CLOCKS 12

NOT TO SCALE E-400









FIRE SUPPRESSION SHUTDOWN 13

NOT TO SCALE E-400



TIME CLOCKS 11

NOT TO SCALE E-400



FREEZER LTG & DOOR HTR WIRING DIAGRAM 10

NOT TO SCALE E-400



FREEZER EVAPORATOR COIL 9

NOT TO SCALE E-400



COOLER EVAPORATOR COIL 8

NOT TO SCALE E-400



CONDENSING UNIT 7

NOT TO SCALE E-400

1. WIRING SHOULD BE DONE ACCORDING WITH NATIONAL AND LOCAL CODE.

2. CHECK VOLTAGE ON CONDENSING UNIT AND EVAPORATOR COIL BEFORE ANY WORK IS DONE.

3. SOLID LINES TO BE WIRED BY LICENSED ELECTRICIAN ON SITE. DOTTED LINES ARE MANUFACTURE PRE-WIRED.

4. ANY PENETRATIONS THROUGH BOX SHALL BE SEALED AIR TIGHT.

WIC / WIF WIRING NOTES 6

NOT TO SCALE E-400



NOTE: EXHAUST FAN TO OPERATE WITH KITCHEN LIGHTS TO REGULATE BUILDING PRESSURE.

EXHAUST FAN CONTROL DIAGRAM 5

NOT TO SCALE E-400



LIGHT FIXTURE DETAIL 4

NOT TO SCALE E-400

DEVICE ORIENTATION



DEVICE & COVERPLATE COLOR

LOCATION	DEVICE COLOR	COVER PLATE COLOR	NOTES
DINING ROOM (WALLS)	VERIFY W/PX	VERIFY W/PX	VERIFY WITH PANDA PM PRIOR TO PURCHASE AND INSTALL
DINING ROOM (IN BULKHEAD ABOVE WINDOWS)	VERIFY W/PX	VERIFY W/PX	VERIFY WITH PANDA PM PRIOR TO PURCHASE AND INSTALL
DINING ROOM (WHEN IN CEILING)	BLACK	BLACK	@ SHOW WINDOW IN DARK CEILING (IF APPLICABLE)
RESTROOM	GREY	STAINLESS STEEL	--
RESTROOM VESTIBULE	GREY	STAINLESS STEEL	--
KITCHEN/SERVICE AREAS	GREY	STAINLESS STEEL	--

DEVICE / RECEPTACLE SCHEDULE 3

NOT TO SCALE E-400



ANSUL PULL STATION DETAIL 2

NOT TO SCALE E-400



'SES' GROUNDING DETAIL 1

NOT TO SCALE E-400

engineering consultants
9225 Indian Creek Pkwy, Suite 1075
Overland Park, KS 66210
Ohio COA: 05046
913.303.0063 | www.rtmec.com

PANDA EXPRESS, INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1st	BUILDING PERMIT SET	04-02-21

DRAWN BY: KB

PANDA PROJECT #: S8-22-D8193
PANDA STORE #: -
ARCH PROJECT #: 20044.021

hcklovercarchitect
8813 PENROSE LANE, SUITE 400
LENEXA, KS 66219
ph: 913.649.8181 • fx: 913.649.1275

PANDA EXPRESS
TRUE WARM & WELCOME
1485 MAIN ST.
HAMILTON, OH 45013

E-400

HOT - MEDIUM
ELECTRICAL DETAILS, DIAGRAMS